



LAWTON
ACR

Product Catalogue

Version IV


Telephone: +44 (0)24 7646 6203
E-mail: sales@lawtontubes.co.uk

www.lawtontubes.co.uk



LAWTON

ACR



Introduction

Lawton Tube Company Limited is the UK's leading independent manufacturer and distributor of copper tube. Established as a Limited Company in 1920 and still family owned!

We form an indispensable link between one of the world's most versatile metals and a wide variety of finished products.

These include tube, coils, degreased medical fittings, refrigeration fittings and tube for plumbing, heating, refrigeration and air conditioning systems, electrical bus bars, medical gas installations, automotive braking circuits (copper brake pipe) and a host of other engineering applications.

Copper has a proven performance and provides a cost effective solution to many pipe work and tube requirements on the basis of its inherent properties.

These include:

- High strength and ductility
- Excellent corrosion resistance
- Compatibility with a wide range of fluids
- High thermal and electrical conductivity
- Excellent fabrication and joining properties

With a range of kitemarked products from stock, supported by quality systems audited to BS EN ISO 9001, we aim to provide you with a first class service at competitive rates.




FM 00451


Contents



ACR Range

- Tubes7
- Fittings & Accessories9
- MaxiPro14
- K6517





Lawton's ACR product range includes:

- Straight lengths
- Coils
- MaxiPro
- Lawton K65
- Fittings
- Brazing rods

Demand Lawton's copper for:

- Air conditioning and refrigeration installations
- CO₂ supermarket refrigeration
- Commercial and domestic applications
- Bespoke OEM applications
- General engineering applications


Lawton's ACR products were used in many prestigious projects including:

- UK Olympic Stadium and Village
- All major UK supermarkets
- Harrods of London
- The Shard
- Red Bull F1 HQ

Whether you're talking about Lawton business or Lawton product, Lawton's Copper Tubes offer:

- Strength
- Quality
- Reliability

The ACR industry is a demanding one, so demand Lawton Tubes





Copper Straight Tube EN 12735-1



Size OD (inches)	Temper	Wall (inches)	Gauge (SWG)	Available in Lengths (per bundle)	
				3m	6m
3/8"	R250	0.032	21	20	20
	R250	0.036	20	20	20
1/2"	R250	0.048	18	-	1
	R250	0.036	20	10	10
5/8"	R250	0.040	19	1	1
	R250	0.048	18	-	1
	R250	0.036	20	-	1
3/4"	R250	0.040	19	10	10
	R250	0.048	18	10	10
	R250	0.064	16	-	1
	R250	0.040	19	-	1
7/8"	R250	0.048	18	10	10
	R250	0.064	16	1	1
	R250	0.104	12	-	1
	R250	0.040	19	-	1
1.1/8"	R250	0.048	18	5	5
	R250	0.064	16	1	1
	R250	0.080	14	1	1
1.3/8"	R250	0.048	18	1	1
	R250	0.064	16	1	1
	R250	0.080	14	1	1
	R250	0.104	12	-	1
1.5/8"	R250	0.048	18	1	1
	R250	0.064	16	1	1
	R250	0.080	14	1	1
	R250	0.104	12	-	1
	R250	0.116	11	-	1
2.1/8"	R250	0.048	18	1	1
	R250	0.064	16	1	1
	R250	0.080	14	1	1
	R250	0.104	12	-	1
2.5/8"	R290	0.048	18	1	1
	R290	0.064	16	1	1
	R290	0.080	14	-	1
	R290	0.104	12	1	1
3.1/8"	R290	0.064	16	1	1
	R290	0.080	14	1	1
	R290	0.104	12	-	1
3.5/8"	R290	0.064	16	1	1
	R290	0.080	14	-	1
	R290	0.104	12	-	1
4.1/8"	R290	0.064	16	1	1
	R290	0.080	14	1	1
	R290	0.104	12	1	1
	R290	0.128	10	-	1

Standard Range Copper Coiled Tube
EN 12735-1



Size OD (inches)	Temper	Wall (inches)	Gauge (SWG)	Available in (Coils per box)		
				6m	15m	30m
3/16"	R220	0.028	22	-	-	8
1/4"	R220	0.028	22	1	10	6
5/16"	R220	0.028	22	-	-	5
	R220	0.036	20	-	-	5
3/8"	R220	0.032	21	1	7	4
1/2"	R220	0.032	21	1	5	3
5/8"	R220	0.036	20	1	4	2
3/4"	R220	0.040	19	-	3	1
7/8"	R220	0.040	19	-	2	1




Fittings & Accessories

Manufactured to ASME B16.22 Lawton's ACR fittings are all seamless, one piece fittings, which makes them stronger and easier to use. All Lawton's fittings are available from 3/16" to 4 1/8" for use with Lawton entire range of ACR tubes.

Regularly needed for large supermarket projects we can supply high pressure fittings for CO₂ applications. All fittings from stock for quick delivery.

Wherever possible all Lawton fittings are engraved for additional traceability.

We offer a variety of silver solder brazing alloys suitable dependent upon product type and application.



Reducing Coupling C x C



Product Code	Size	Bag	Box
RFCP516X14	5/16" X 1/4"	100	5000
RFCP38X14	3/8" X 1/4"	100	2000
RFCP12X14	1/2" X 1/4"	100	2000
RFCP12X38	1/2" X 3/8"	100	1500
RFCP58X12	5/8" X 1/2"	100	1500
RFCP58X14	5/8" X 1/4"	100	1500
RFCP58X38	5/8" X 3/8"	100	1500
RFCP34X38	3/4" X 3/8"	50	1100
RFCP34X12	3/4" X 1/2"	50	1100
RFCP34X58	3/4" X 5/8"	50	1000
RFCP78X38	7/8" X 3/8"	50	1000
RFCP78X12	7/8" X 1/2"	50	1000
RFCP78X58	7/8" X 5/8"	50	800
RFCP78X34	7/8" X 3/4"	50	800
RFCP1.18X12	1.1/8" X 1/2"	25	500
RFCP1.18X58	1.1/8" X 5/8"	25	500
RFCP1.18X34	1.1/8" X 3/4"	25	400
RFCP1.18X78	1.1/8" X 7/8"	20	400
RFCP1.38X58	1.3/8" X 5/8"	10	400
RFCP1.38X34	1.3/8" X 3/4"	10	2000
RFCP1.38X78	1.3/8" X 7/8"	10	250
RFCP1.38X1.18	1.3/8" X 1.1/8"	10	200
RFCP1.58X78	1.5/8" X 7/8"	10	200
RFCP1.58X1.18	1.5/8" X 1.1/8"	10	160
RFCP1.58X1.38	1.5/8" X 1.3/8"	10	120
RFCP2.18X58	2.1/8" X 5/8"	5	60
RFCP2.18X78	2.1/8" X 7/8"	5	100
RFCP2.18X1.18	2.1/8" X 1.1/8"	5	100
RFCP2.18X1.38	2.1/8" X 1.3/8"	5	100
RFCP2.18X1.58	2.1/8" X 1.5/8"	5	100
RFCP2.58X1.18	2.5/8" X 1.1/8"	5	50
RFCP2.58X1.38	2.5/8" X 1.3/8"	5	50
RFCP2.58X1.58	2.5/8" X 1.5/8"	5	50
RFCP2.58X2.18	2.5/8" X 2.1/8"	5	50
RFCP3.18X1.38	3.1/8" X 1.3/8"	1	25
RFCP3.18X1.58	3.1/8" X 1.5/8"	1	25
RFCP3.18X2.18	3.1/8" X 2.1/8"	1	25
RFCP3.18X2.58	3.1/8" X 2.5/8"	1	25
RFCP3.58X2.58	3.5/8" X 2.5/8"	1	20
RFCP3.58X3.18	3.5/8" X 3.1/8"	1	17
RFCP4.18X2.18	4.1/8" X 2.1/8"	1	18
RFCP4.18X2.58	4.1/8" X 2.5/8"	1	18
RFCP4.18X3.18	4.1/8" X 3.1/8"	1	18
RFCP4.18X3.58	4.1/8" X 3.5/8"	1	12



Fitting Reducer FTG x C



Product Code	Size	Bag	Box
RFRED38X14	3/8" X 1/4"	100	4000
RFRED12X14	1/2" X 1/4"	100	3000
RFRED12X38	1/2" X 3/8"	100	2500
RFRED58X14	5/8" X 1/4"	100	2400
RFRED58X38	5/8" X 3/8"	100	2400
RFRED58X12	5/8" X 1/2"	100	1800
RFRED34X38	3/4" X 3/8"	100	1500
RFRED34X12	3/4" X 1/2"	50	1100
RFRED34X58	3/4" X 5/8"	50	1000
RFRED78X12	7/8" X 1/2"	50	700
RFRED78X34	7/8" X 3/4"	50	600
RFRED78X38	7/8" X 3/8"	100	1000
RFRED78X58	7/8" X 5/8"	50	800
RFRED1.18X12	1.1/8" X 1/2"	50	500
RFRED1.18X58	1.1/8" X 5/8"	30	500
RFRED1.18X34	1.1/8" X 3/4"	25	400
RFRED1.18X78	1.1/8" X 7/8"	25	400
RFRED1.38X58	1.3/8" X 5/8"	15	300
RFRED1.38X34	1.3/8" X 3/4"	15	300
RFRED1.38X78	1.3/8" X 7/8"	15	250
RFRED1.38X1.18	1.3/8" X 1.1/8"	15	200
RFRED1.58X58	1.5/8" X 5/8"	25	200
RFRED1.58X34	1.5/8" X 3/4"	10	200
RFRED1.58X78	1.5/8" X 7/8"	25	200
RFRED1.58X1.18	1.5/8" X 1.1/8"	20	160
RFRED1.58X1.38	1.5/8" X 1.3/8"	20	150
RFRED2.18X58	2.1/8" X 5/8"	10	100
RFRED2.18X78	2.1/8" X 7/8"	10	100
RFRED2.18X1.18	2.1/8" X 1.1/8"	10	100
RFRED2.18X1.38	2.1/8" X 1.3/8"	10	100
RFRED2.18X1.58	2.1/8" X 1.5/8"	10	100
RFRED2.58X1.18	2.5/8" X 1.1/8"	2	60
RFRED2.58X1.38	2.5/8" X 1.3/8"	2	60
RFRED2.58X1.58	2.5/8" X 1.5/8"	2	60
RFRED2.58X2.18	2.5/8" X 2.1/8"	2	60
RFRED3.18X1.38	3.1/8" X 1.3/8"	2	25
RFRED3.18X1.58	3.1/8" X 1.5/8"	2	25
RFRED3.18X2.18	3.1/8" X 2.1/8"	2	30
RFRED3.18X2.58	3.1/8" X 2.5/8"	2	25
RFRED3.58X2.58	3.5/8" X 2.5/8"	1	24
RFRED3.58X3.18	3.5/8" X 3.1/8"	1	24
RFRED4.18X2.18	4.1/8" X 2.1/8"	1	20
RFRED4.18X2.58	4.1/8" X 2.5/8"	1	18
RFRED4.18X3.18	4.1/8" X 3.1/8"	1	18
RFRED4.18X3.58	4.1/8" X 3.5/8"	1	18



90 Degree Short Radius Street Elbow FTG x C

LAWTON
ACR FITTINGS

Product Code	Size	Bag	Box
RFELSR514	1/4"	100	5000
RFELSR516	5/16"	100	4000
RFELSR538	3/8"	100	3000
RFELSR512	1/2"	100	1500
RFELSR558	5/8"	50	1200
RFELSR534	3/4"	40	560
RFELSR578	7/8"	25	400
RFELSR51.18	1.1/8"	25	200
RFELSR51.38	1.3/8"	10	120
RFELSR51.58	1.5/8"	5	80
RFELSR52.18	2.1/8"	2	40
RFELSR52.58	2.5/8"	2	20
RFELSR53.18	3.1/8"	1	12
RFELSR53.58	3.5/8"	1	8
RFELSR54.18	4.1/8"	1	6



90 Degree Long Elbow C x C

LAWTON
ACR FITTINGS

Product Code	Size	Bag	Box
RFELLR14	1/4"	100	5000
RFELLR516	5/16"	100	4000
RFELLR38	3/8"	100	3000
RFELLR12	1/2"	50	1500
RFELLR58	5/8"	50	800
RFELLR34	3/4"	25	450
RFELLR78	7/8"	20	280
RFELLR1.18	1.1/8"	10	120
RFELLR1.38	1.3/8"	5	80
RFELLR1.58	1.5/8"	5	50
RFELLR2.18	2.1/8"	2	24
RFELLR2.58	2.5/8"	2	14
RFELLR3.18	3.1/8"	1	8
RFELLR3.58	3.5/8"	1	4
RFELLR4.18	4.1/8"	1	3



90 Degree Short Elbow C x C

RFELSR14	1/4"	100	5000
RFELSR516	5/16"	100	4000
RFELSR38	3/8"	100	3000
RFELSR12	1/2"	100	2000
RFELSR58	5/8"	50	1200
RFELSR34	3/4"	40	600
RFELSR78	7/8"	25	400
RFELSR1.18	1.1/8"	25	200
RFELSR1.38	1.3/8"	10	120
RFELSR1.58	1.5/8"	5	80
RFELSR2.18	2.1/8"	2	40
RFELSR2.58	2.5/8"	2	20
RFELSR3.18	3.1/8"	1	15
RFELSR3.58	3.5/8"	1	8
RFELSR4.18	4.1/8"	1	6



45 Degree Street Elbow FTG x C

RFELS45/14	1/4"	200	2000
RFELS45/516	5/16"	200	2000
RFELS45/38	3/8"	100	1800
RFELS45/12	1/2"	100	1500
RFELS45/58	5/8"	50	1300
RFELS45/34	3/4"	40	720
RFELS45/78	7/8"	25	500
RFELS45/1.18	1.1/8"	25	200
RFELS45/1.38	1.3/8"	10	120
RFELS45/1.58	1.5/8"	5	80
RFELS45/2.18	2.1/8"	2	40
RFELS45/2.58	2.5/8"	2	24
RFELS45/3.18	3.1/8"	2	16
RFELS45/3.58	3.5/8"	2	10
RFELS45/4.18	4.1/8"	1	6



90 Degree Long Radius Street Elbow FTG x C

RFELLRS14	1/4"	100	5000
RFELLRS516	5/16"	100	4000
RFELLRS38	3/8"	100	3000
RFELLRS12	1/2"	50	1500
RFELLRS58	5/8"	50	800
RFELLRS34	3/4"	25	450
RFELLRS78	7/8"	20	280
RFELLRS1.18	1.1/8"	10	120
RFELLRS1.38	1.3/8"	5	80
RFELLRS1.58	1.5/8"	5	50
RFELLRS2.18	2.1/8"	2	24
RFELLRS2.58	2.5/8"	1	12
RFELLRS3.18	3.1/8"	1	8
RFELLRS3.58	3.5/8"	1	4
RFELLRS4.18	4.1/8"	1	3



45 Degree Elbow C x C

RFEL45/14	1/4"	100	2000
RFEL45/516	5/16"	100	2000
RFEL45/38	3/8"	100	1800
RFEL45/12	1/2"	100	1500
RFEL45/58	5/8"	50	1300
RFEL45/34	3/4"	40	720
RFEL45/78	7/8"	40	500
RFEL45/1.18	1.1/8"	10	200
RFEL45/1.38	1.3/8"	10	120
RFEL45/1.58	1.5/8"	5	100
RFEL45/2.18	2.1/8"	2	40
RFEL45/2.58	2.5/8"	2	20
RFEL45/3.18	3.1/8"	2	16
RFEL45/3.58	3.5/8"	2	10
RFEL45/4.18	4.1/8"	1	8


90 Degree Short Radius
Reducing Elbow C x C

LAWTON
RFR FITTINGS



Product Code	Size	Bag	Box
RFREDEL1238	1/2" X 3/8"	50	2000
RFREDEL7834	7/8" X 3/4"	50	500
RFREDEL5812	5/8" X 1/2"	50	1000
RFREDEL1.581.38	1.5/8" X 1.3/8"	10	100

Straight Coupling C x C



RFCP316	3/16"	100	5000
RFCP14	1/4"	100	5000
RFCP516	5/16"	100	5000
RFCP38	3/8"	100	5000
RFCP12	1/2"	100	3000
RFCP58	5/8"	50	2000
RFCP34	3/4"	50	900
RFCP78	7/8"	50	500
RFCP1.18	1.1/8"	20	300
RFCP1.38	1.3/8"	10	200
RFCP1.58	1.5/8"	10	100
RFCP2.18	2.1/8"	5	60
RFCP2.58	2.5/8"	2	40
RFCP3.18	3.1/8"	2	32
RFCP3.58	3.5/8"	1	15
RFCP4.18	4.1/8"	1	9

Equal Tee C x C x C



RFTE14	1/4"	100	6000
RFTE516	5/16"	50	3000
RFTE38	3/8"	100	2500
RFTE12	1/2"	100	1200
RFTE58	5/8"	50	600
RFTE34	3/4"	20	400
RFTE78	7/8"	10	250
RFTE1.18	1.1/8"	10	120
RFTE1.38	1.3/8"	5	80
RFTE1.58	1.5/8"	5	50
RFTE2.18	2.1/8"	1	25
RFTE2.58	2.5/8"	1	16
RFTE3.18	3.1/8"	1	10
RFTE3.58	3.5/8"	1	5
RFTE4.18	4.1/8"	1	4

Reducing Tee C x C x C



Product Code	Size	Bag	Box
RFTE14X14X38	1/4" x 1/4" x 3/8"	100	3000
RFTE516X516X14	5/16" x 5/16" x 1/4"	100	3000
RFTE38X14X14	3/8" x 1/4" x 1/4"	100	2000
RFTE38X14X38	3/8" x 1/4" x 3/8"	100	2000
RFTE38X38X14	3/8" x 3/8" x 1/4"	100	2000
RFTE38X38X12	3/8" x 3/8" x 1/2"	100	2000
RFTE38X38X58	3/8" x 3/8" x 5/8"	100	2000
RFTE12X38X38	1/2" x 3/8" x 3/8"	100	1600
RFTE12X38X12	1/2" x 3/8" x 1/2"	100	1500
RFTE12X12X14	1/2" x 1/2" x 1/4"	100	1600
RFTE12X12X38	1/2" x 1/2" x 3/8"	100	1500
RFTE12X12X58	1/2" x 1/2" x 5/8"	100	700
RFTE58X38X38	5/8" x 3/8" x 3/8"	25	750
RFTE58X38X58	5/8" x 3/8" x 5/8"	25	750
RFTE58X12X38	5/8" x 1/2" x 3/8"	25	1000
RFTE58X12X12	5/8" x 1/2" x 1/2"	25	800
RFTE58X12X58	5/8" x 1/2" x 5/8"	25	750
RFTE58X58X14	5/8" x 5/8" x 1/4"	25	800
RFTE58X58X38	5/8" x 5/8" x 3/8"	25	800
RFTE58X58X12	5/8" x 5/8" x 1/2"	25	800
RFTE58X58X34	5/8" x 5/8" x 3/4"	25	300
RFTE58X58X78	5/8" x 5/8" x 7/8"	25	300
RFTE58X58X1.18	5/8" x 5/8" x 1.1/8"	25	200
RFTE34X12X12	3/4" x 1/2" x 1/2"	25	500
RFTE34X58X58	3/4" x 5/8" x 5/8"	25	300
RFTE34X34X38	3/4" x 3/4" x 3/8"	25	600
RFTE34X34X12	3/4" x 3/4" x 1/2"	25	500
RFTE34X34X58	3/4" x 3/4" x 5/8"	25	400
RFTE34X34X78	3/4" x 3/4" x 7/8"	25	250
RFTE78X12X12	7/8" x 1/2" x 1/2"	10	300
RFTE78X12X78	7/8" x 1/2" x 7/8"	10	250
RFTE78X58X12	7/8" x 5/8" x 1/2"	10	300
RFTE78X58X58	7/8" x 5/8" x 5/8"	10	300
RFTE78X58X78	7/8" x 5/8" x 7/8"	10	250
RFTE78X34X34	7/8" x 3/4" x 3/4"	10	200
RFTE78X78X38	7/8" x 7/8" x 3/8"	25	500
RFTE78X78X12	7/8" x 7/8" x 1/2"	25	400
RFTE78X78X58	7/8" x 7/8" x 5/8"	10	300
RFTE78X78X34	7/8" x 7/8" x 3/4"	10	250
RFTE78X78X1.18	7/8" x 7/8" x 1.1/8"	10	150
RFTE1.18X58X78	1.1/8" x 5/8" x 7/8"	10	200
RFTE1.18X58X1.18	1.1/8" x 5/8" x 1.1/8"	10	200
RFTE1.18X78X12	1.1/8" x 7/8" x 1/2"	10	200
RFTE1.18X78X58	1.1/8" x 7/8" x 5/8"	10	200
RFTE1.18X78X78	1.1/8" x 7/8" x 7/8"	10	160
RFTE1.18X78X1.18	1.1/8" x 7/8" x 1.1/8"	10	120
RFTE1.18X1.18X12	1.1/8" x 1.1/8" x 1/2"	10	200
RFTE1.18X1.18X58	1.1/8" x 1.1/8" x 5/8"	10	180
RFTE1.18X1.18X34	1.1/8" x 1.1/8" x 3/4"	10	180
RFTE1.18X1.18X78	1.1/8" x 1.1/8" x 7/8"	10	150
RFTE1.18X1.18X1.38	1.1/8" x 1.1/8" x 1.3/8"	5	100
RFTE1.18X1.18X1.58	1.1/8" x 1.1/8" x 1.5/8"	5	50
RFTE1.38X58X1.38	1.3/8" x 5/8" x 1.3/8"	5	100
RFTE1.38X78X58	1.3/8" x 7/8" x 5/8"	5	100
RFTE1.38X78X78	1.3/8" x 7/8" x 7/8"	5	100
RFTE1.38X78X1.18	1.3/8" x 7/8" x 1.1/8"	5	100
RFTE1.38X78X1.38	1.3/8" x 7/8" x 1.3/8"	5	100

Product Code	Size	Bag	Box
RFTE1.38X1.18X58	1.3/8" x 1.1/8" x 5/8"	5	100
RFTE1.38X1.18X78	1.3/8" x 1.1/8" x 7/8"	5	100
RFTE1.38X1.18X1.18	1.3/8" x 1.1/8" x 1.1/8"	5	100
RFTE1.38X1.18X1.38	1.3/8" x 1.1/8" x 1.3/8"	5	70
RFTE1.38X1.38X58	1.3/8" x 1.3/8" x 5/8"	5	120
RFTE1.38X1.38X78	1.3/8" x 1.3/8" x 7/8"	5	100
RFTE1.38X1.38X1.18	1.3/8" x 1.3/8" x 1.1/8"	5	80
RFTE1.38X1.38X1.58	1.3/8" x 1.3/8" x 1.5/8"	5	60
RFTE1.38X1.38X2.18	1.3/8" x 1.3/8" x 2.1/8"	5	25
RFTE1.58X78X78	1.5/8" x 7/8" x 7/8"	5	100
RFTE1.58X78X1.58	1.5/8" x 7/8" x 1.5/8"	5	80
RFTE1.58X1.18X78	1.5/8" x 1.1/8" x 7/8"	5	70
RFTE1.58X1.18X1.38	1.5/8" x 1.1/8" x 1.3/8"	5	50
RFTE1.58X1.18X1.58	1.5/8" x 1.1/8" x 1.5/8"	5	50
RFTE1.58X1.38X1.18	1.5/8" x 1.3/8" x 1.1/8"	5	60
RFTE1.58X1.38X1.38	1.5/8" x 1.3/8" x 1.3/8"	5	60
RFTE1.58X1.38X1.58	1.5/8" x 1.3/8" x 1.5/8"	5	50
RFTE1.58X1.38X78	1.5/8" x 1.3/8" x 7/8"	5	80
RFTE1.58X1.58X58	1.5/8" x 1.5/8" x 5/8"	5	90
RFTE1.58X1.58X78	1.5/8" x 1.5/8" x 7/8"	5	80
RFTE1.58X1.58X1.18	1.5/8" x 1.5/8" x 1.1/8"	5	60
RFTE1.58X1.58X12	1.5/8" x 1.5/8" x 1/2"	5	100
RFTE1.58X1.58X1.38	1.5/8" x 1.5/8" x 1.3/8"	5	50
RFTE1.58X1.58X2.18	1.5/8" x 1.5/8" x 2.1/8"	5	25
RFTE2.18X1.38X1.18	2.1/8" x 1.3/8" x 1.1/8"	2	40
RFTE2.18X1.38X1.38	2.1/8" x 1.3/8" x 1.3/8"	2	30
RFTE2.18X1.38X2.18	2.1/8" x 1.3/8" x 2.1/8"	2	20
RFTE2.18X1.58X78	2.1/8" x 1.5/8" x 7/8"	2	40
RFTE2.18X1.58X1.18	2.1/8" x 1.5/8" x 1.1/8"	2	30
RFTE2.18X1.58X1.38	2.1/8" x 1.5/8" x 1.3/8"	2	30
RFTE2.18X1.58X2.18	2.1/8" x 1.5/8" x 2.1/8"	2	30
RFTE2.18X2.18X58	2.1/8" x 2.1/8" x 5/8"	2	50
RFTE2.18X2.18X78	2.1/8" x 2.1/8" x 7/8"	2	40
RFTE2.18X2.18X1.18	2.1/8" x 2.1/8" x 1.1/8"	2	35
RFTE2.18X2.18X1.38	2.1/8" x 2.1/8" x 1.3/8"	2	30
RFTE2.18X2.18X1.58	2.1/8" x 2.1/8" x 1.5/8"	2	25
RFTE2.18X2.18X2.58	2.1/8" x 2.1/8" x 2.5/8"	2	16
RFTE2.58X78X2.58	2.5/8" x 7/8" x 2.5/8"	1	20
RFTE2.58X2.18X1.58	2.5/8" x 2.1/8" x 1.5/8"	1	20
RFTE2.58X2.18X2.18	2.5/8" x 2.1/8" x 2.1/8"	1	16
RFTE2.58X2.58X58	2.5/8" x 2.5/8" x 5/8"	1	30
RFTE2.58X2.58X78	2.5/8" x 2.5/8" x 7/8"	1	30
RFTE2.58X2.58X1.18	2.5/8" x 2.5/8" x 1.1/8"	1	25
RFTE2.58X2.58X1.38	2.5/8" x 2.5/8" x 1.3/8"	1	20
RFTE2.58X2.58X1.58	2.5/8" x 2.5/8" x 1.5/8"	1	20
RFTE2.58X2.58X2.18	2.5/8" x 2.5/8" x 2.1/8"	1	20
RFTE3.18X3.18X78	3.1/8" x 3.1/8" x 7/8"	1	18
RFTE3.18X3.18X1.18	3.1/8" x 3.1/8" x 1.1/8"	1	14
RFTE3.18X3.18X1.38	3.1/8" x 3.1/8" x 1.3/8"	1	14
RFTE3.18X3.18X1.58	3.1/8" x 3.1/8" x 1.5/8"	1	12
RFTE3.18X3.18X2.18	3.1/8" x 3.1/8" x 2.1/8"	1	10
RFTE3.18X3.18X2.58	3.1/8" x 3.1/8" x 2.5/8"	1	10
RFTE4.18X4.18X1.58	4.1/8" x 4.1/8" x 1.5/8"	1	8
RFTE4.18X4.18X2.18	4.1/8" x 4.1/8" x 2.1/8"	1	6
RFTE4.18X4.18X2.58	4.1/8" x 4.1/8" x 2.5/8"	1	6
RFTE4.18X4.18X3.18	4.1/8" x 4.1/8" x 3.1/8"	1	5

LAWTON

RCR FITTINGS

End Cap




Product Code	Size	Bag	Box
RFEC14	1/4"	100	5000
RFEC38	3/8"	100	5000
RFEC12	1/2"	100	3000
RFEC58	5/8"	100	2200
RFEC34	3/4"	50	1500
RFEC78	7/8"	50	1200
RFEC1.18	1.1/8"	50	600
RFEC1.38	1.3/8"	25	400
RFEC1.58	1.5/8"	10	200
RFEC2.18	2.1/8"	5	120
RFEC2.58	2.5/8"	2	60
RFEC3.18	3.1/8"	1	40
RFEC3.58	3.5/8"	1	25
RFEC4.18	4.1/8"	1	25

LAWTON

RCR FITTINGS

Male Thread Adaptor C x M



Product Code	Size	Bag	Box
RFMAD14X18	1/4" X 1/8"	50	1000
RFMAD38X14	3/8" X 1/4"	50	1000
RFMAD12X12	1/2" X 1/2"	50	800
RFMAD58X12	5/8" X 1/2"	25	500
RFMAD58X34	5/8" X 3/4"	25	500
RFMAD78X12	7/8" X 1/2"	10	500
RFMAD78X34	7/8" X 3/4"	10	500
RFMAD1.18X34	1.1/8" X 3/4"	25	300
RFMAD1.18X1	1.1/8" X 1"	25	300
RFMAD1.38X1.12	1.3/8" X 1.1/2"	2	100
RFMAD1.38X1.14	1.3/8" X 1.1/4"	2	100
RFMAD1.58X1.14	1.5/8" X 1.1/4"	2	100
RFMAD1.58X1.12	1.5/8" X 1.1/2"	2	100
RFMAD2.18X2	2.1/8" X 2"	1	80
RFMAD2.58X2.12	2.5/8" X 2.1/2"	1	30

Copper Tube Strap - Double Hole



Product Code	Size	Bag	Box
RFSPS14	1/4"	100	5000
RFSPS38	3/8"	100	3000
RFSPS12	1/2"	100	2500
RFSPS58	5/8"	50	2500
RFSPS34	3/4"	50	1500
RFSPS78	7/8"	50	1500
RFSPS1.18	1.1/8"	10	750
RFSPS1.38	1.3/8"	10	650
RFSPS1.58	1.5/8"	10	700
RFSPS2.18	2.1/8"	5	500

U-Bend C x C



Product Code	Size	Bag	Box
RFUB38X1.12	3/8" X 1.1/2"	10	500
RFUB12X1.12	1/2" X 1.1/2"	100	400
RFUB58X1.78	5/8" X 1.7/8"	10	300
RFUB34X2.12	3/4" X 2.1/2"	10	200
RFUB78X2.12	7/8" X 2.1/2"	10	150
RFUB1.18X3	1.1/8" X 3"	10	80
RFUB1.38X3.34	1.3/8" X 3.3/4"	10	40
RFUB1.58X4.12	1.5/8" X 4.1/2"	2	28
RFUB2.18X5.12	2.1/8" X 5.1/2"	1	15

Suction Line P-Traps C x C



Product Code	Size	Bag	Box
RFPT58	5/8"	1	80
RFPT34	3/4"	1	40
RFPT78	7/8"	1	30
RFPT1.18	1.1/8"	1	25
RFPT1.38	1.3/8"	1	15
RFPT1.58	1.5/8"	1	8
RFPT2.18	2.1/8"	1	4




Brazing Solutions Silver Solder (Braze Rod)

LAWTON

ACCESSORIES

Product Code	Size	%	Type
SOL-ZERO	1.27mm X 3.18mm X 508mm	0	Round
SOL-S2.0AG0.2	2.0mm X 500mm	0.2	Square
SOL-S1.5AG5	1.5mm X 500mm	5	Round
SOL-S1.5AG45	1.5mm X 500mm	45	Round
SOL-S1.5AG40FC	1.5mm X 500mm	40	Flux Coated
SOL-S1.5AG40	1.5mm X 500mm	40	Round
SOL-S1.5AG55	1.5mm X 500mm	55	Round
SOL-S2.0AG2	2.0mm X 500mm	5	Round
SOL-S2.0AG5	2.0mm X 500mm	2	Round
SOL-S2.5AG6	2.5mm X 500mm	6	Round
SOL-S2.5AG5	2.5mm X 500mm	5	Round
SOL-S2.5AG15	2.5mm X 500mm	15	Round
SOL-S2.5AG45	2.5mm X 500mm	45	Round
SOL-S2.5AG15(6)	2.5mm X 600mm	15	Round
SOL-S3.0AG2	3.0mm X 500mm	2	Round
SOL-S3.0AG5	3.0mm X 500mm	5	Round

Female Thread Adaptor C x F



Product Code	Size	Bag	Box
RFFAD38X14	3/8" X 1/4"	50	1000
RFFAD12X12	1/2" X 1/2"	50	800
RFFAD12X38	1/2" X 3/8"	50	800
RFFAD58X14	5/8" X 1/4"	50	600
RFFAD58X12	5/8" X 1/2"	50	500
RFFAD58X34	5/8" X 3/4"	50	500
RFFAD34X34	3/4" X 3/4"	10	500
RFFAD34X12	3/4" X 1/2"	10	500
RFFAD78X12	7/8" X 1/2"	10	300
RFFAD1.18X1	1.1/8" X 1"	5	300
RFFAD1.38X1.14	1.3/8" X 1.1/4"	2	100
RFFAD2.18X2	2.1/8" X 2"	1	80

Male Reducer Adaptor



Product Code	Size	Bag	Box
RFMADRED58X12	5/8" X 1/2"	25	500

>B< MaxiPro is press fitting system for use with Lawton Copper Tubes for Air-Conditioning and Refrigeration applications. >B< MaxiPro fittings can be used with soft annealed, half-hard or hard Lawton Copper tube conforming to both EN-12735-1 or ASTM B-280.

>B< MaxiPro fittings provide a secure, permanent leak-proof joint which can be completed in a significantly less time than a typically brazed joint. Another big advantage to using >B< MaxiPro is that it avoids the need for a hot works permit and the risk of fire on site.

Other benefits of >B< MaxiPro include:

- **Secure, permanent leak proof jointing**
- **Time and cost saving compared to typically brazed joints**
- **No need for hot works permits**
- **No need to Nitrogen purge**

The three point press of the >B< MaxiPro fitting means that with the press each side of the bead and one compressing the O-ring meaning a very secure and permanent joint is achieved. A high quality HNBR O-ring forms a leak-free joint.

Straight Coupler



Product Code	Size	Bag	Box
MPA5270 0020001	1/4"	5	200
MPA5270 0030001	3/8"	5	200
MPA5270 0040001	1/2"	5	150
MPA5270 0050001	5/8"	5	150
MPA5270 0060001	3/4"	2	80
MPA5270 0070001	7/8"	2	110
MPA5270 0080001	1"	2	100
MPA5270 0090001	1.1/8"	2	80

Reduced Coupler



Product Code	Size	Bag	Box
MPA5240 0040301	1/2" x 3/8"	2	150
MPA5240 0050301	5/8" x 3/8"	2	150
MPA5240 0050401	5/8" x 1/2"	2	120
MPA5240 0060301	3/4" x 3/8"	2	120
MPA5240 0060401	3/4" x 1/2"	2	120
MPA5240 0060501	3/4" x 5/8"	2	120
MPA5240 0070401	7/8" x 1/2"	2	100
MPA5240 0070501	7/8" x 5/8"	2	100
MPA5240 0070601	7/8" x 3/4"	2	100
MPA5240 0090501	1.1/8" x 5/8"	1	80
MPA5240 0090601	1.1/8" x 3/4"	1	80
MPA5240 0090701	1.1/8" x 7/8"	1	60

90 Degree Bend



Product Code	Size	Bag	Box
MPA5002 0020001	1/4"	5	200
MPA5002 0030001	3/8"	5	200
MPA5002 0040001	1/2"	3	120
MPA5002 0050001	5/8"	3	90
MPA5002 0060001	3/4"	3	120
MPA5002 0070001	7/8"	3	120
MPA5002 0080001	1"	2	80
MPA5002 0090001	1.1/8"	2	60



Fitting Reducer

Product Code	Size	Bag	Box
MPA5243 0030201	3/8" x 1/4"	2	150
MPA5243 0040301	1/2" x 3/8"	2	150
MPA5243 0050301	5/8" x 3/8"	2	150
MPA5243 0050401	5/8" x 1/2"	2	150
MPA5243 0060401	3/4" x 1/2"	2	120
MPA5243 0060501	3/4" x 5/8"	2	100
MPA5243 0070401	7/8" x 1/2"	2	80
MPA5243 0070501	7/8" x 5/8"	2	80
MPA5243 0070601	7/8" x 3/4"	2	80
MPA5243 0090401	1.1/8" x 1/2"	1	100
MPA5243 0090501	1.1/8" x 5/8"	1	100
MPA5243 0090601	1.1/8" x 3/4"	1	100
MPA5243 0090701	1.1/8" x 7/8"	1	100

90 Degree Street Bend



Product Code	Size	Bag	Box
MPA5001 0030001	3/8"	3	210
MPA5001 0040001	1/2"	3	120
MPA5001 0050001	5/8"	3	120
MPA5001 0060001	3/4"	3	120
MPA5001 0070001	7/8"	3	120
MPA5001 0080001	1"	2	80
MPA5001 0090001	1.1/8"	2	60

Equal Tee



Product Code	Size	Bag	Box
MPA5T 002020201	1/4"	3	150
MPA5T 003030301	3/8"	3	150
MPA5T 004040401	1/2"	3	150
MPA5T 005050501	5/8"	2	120
MPA5T 006060601	3/4"	2	80
MPA5T 007070701	7/8"	2	70
MPA5T 008080801	1"	1	50
MPA5T 009090901	1.1/8"	1	40



45 Degree Bend

Product Code	Size	Bag	Box
MPA5041 0020001	1/4"	3	180
MPA5041 0030001	3/8"	3	180
MPA5041 0040001	1/2"	3	120
MPA5041 0050001	5/8"	3	120
MPA5041 0060001	3/4"	3	120
MPA5041 0070001	7/8"	3	120
MPA5041 0080001	1"	2	80
MPA5041 0090001	1.1/8"	2	80

>B< MaxiPro comes with a 10 year guarantee against manufacturing defects when fitted by a trained and certified installer.



Stop End

Product Code	Size	Bag	Box
MPA5301 0020001	1/4"	3	180
MPA5301 0030001	3/8"	3	180
MPA5301 0040001	1/2"	3	150
MPA5301 0050001	5/8"	2	150
MPA5301 0060001	3/4"	2	150
MPA5301 0070001	7/8"	2	150
MPA5301 0080001	1"	1	100
MPA5301 0090001	1.1/8"	1	100



Long Coupler

MPA5270L0020001	1/4"	5	200
MPA5270L0030001	3/8"	5	200
MPA5270L0040001	1/2"	5	150
MPA5270L0050001	5/8"	3	120
MPA5270L0060001	3/4"	2	100
MPA5270L0070001	7/8"	2	90
MPA5270L0080001	1"	1	50
MPA5270L0090001	1-1/8"	1	40



Long Repair Coupler

MPA5275L0020001	1/4"	5	200
MPA5275L0030001	3/8"	5	200
MPA5275L0040001	1/2"	5	150
MPA5275L0050001	5/8"	3	120
MPA5275L0060001	3/4"	2	100
MPA5275L0070001	7/8"	2	90
MPA5275L0080001	1"	1	50
MPA5275L0090001	1-1/8"	1	40
MPA5240L0030201	3/8" x 1/4"	2	120
MPA5240L0050301	5/8" x 3/8"	2	120
MPA5240L0080501	1" x 5/8"	1	60



Long reduced Coupler

MPA5285G0020201	1/4"	4	140
MPA5285G0030301	3/8"	4	120
MPA5285G0040401	1/2"	2	60
MPA5285G0050501	5/8"	2	50
MPA5285G0060601	3/4"	2	40



Flare Adaptor

MPA5289G0020201	1/4"	4	140
MPA5289G0030301	3/8"	4	120
MPA5289G0040401	1/2"	2	60
MPA5289G0050501	5/8"	2	50
MPA5289G0060601	3/4"	2	40



Complex Flare, Inox nut and Copper Washer

Product Code	Size	Bag	Box
MPA5286G0020201	1/4"	4	140
MPA5286G0030301	3/8"	4	120
MPA5286G0040401	1/2"	2	60
MPA5286G0050501	5/8"	2	50
MPA5286G0060601	3/4"	2	40



Copper Washer

MPA5287 0020001	1/4"	10	700
MPA5287 0030001	3/8"	10	700
MPA5287 0040001	1/2"	10	600
MPA5287 0050001	5/8"	10	400
MPA5287 0060001	3/4"	10	300



Suction Line P Trap

MPA5698 0050001	5/8"	1	30
MPA5698 0060001	3/4"	1	25
MPA5698 0070001	7/8"	1	25
MPA5698 0090001	1.1/8"	1	20
MPA5698 0110001	1.3/8"	1	20
MPA5698 0130001	1.5/8"	1	20
MPA5698 0170001	2.1/8"	1	20



Depth Gauge

MPA DEPTH GAUGE	1/4" - 1.1/8"	1	40
-----------------	---------------	---	----



Fitting Lubricant

MPABPSOIL100ML	100 ml	1	25
----------------	--------	---	----



Lawton K65

The tube system for high pressure applications

In refrigeration, and in particular in the area of supermarket refrigeration systems, more and more ecology-oriented plant concepts are being implemented.

The modern, environment-friendly refrigerant CO² that is used here leads to high operating pressures. For these applications the new K65 tube system is available.

Tubes and fittings are made of the high-strength copper alloy K65 which has already been used with success in electrical engineering and the automotive industry. K65 allows economical installation of refrigeration systems with operating pressures up to 120 bar.

K65 has good processing properties which are similar to those of copper. K65 tubes may be brazed to K65 fittings in the traditional way. K65 fittings are manufactured by IBP Conex. Safety ensured by two well-known manufacturers K65 tubes and K65 fittings fall under a joint system guarantee that includes CO² applications up to 120 bar for the items listed.

Easy to identify – even after installation

K65 tubes and fittings are marked appropriately, so that the system components can be clearly identified at all times. In addition, the material is slightly magnetic and can easily be distinguished from copper by means of a neodymium magnet – a helpful, practical advantage.

Economical

The main advantage is the mechanical strength of K65. Because of the high strength of the material, the K65 product can be made with comparatively thinner walls. The light weight of tubes made of K65 means not only a saving in material, but also easier handling, for example when mounting the tubes on ceilings.



K65 Tubes for CO² Applications

OD (inches)	80 bar available in 5 metre lengths	120 bar available in 6 metre lengths
3/8"		•
1/2"	•	•
5/8"	•	•
3/4"	•	•
7/8"	•	•
1.1/8"	•	•
1.3/8"	•	•
1.5/8"	•	•
2.1/8"	•	•

Further dimensions for industrial applications, and also for other pressures, are available according to customer specifications. Changes in surface colour are possible with this material. However, these changes are purely optical and will not affect the technical performance.



K65 Fittings

K65 90 Degree Long Radius Elbow



Part Code	Size	Bar	Bag	Box
K65ELLR38	3/8"	120	5	100
K65ELLR12	1/2"	120	5	100
K65ELLR58	5/8"	120	5	100
K65ELLR34	3/4"	120	5	100
K65ELLR78	7/8"	120	5	100
K65ELLR1.18	1.1/8"	120	5	100
K65ELLR1.38	1.3/8"	120	1	30
K65ELLR1.58	1.5/8"	120	1	20
K65ELLR2.18	2.1/8"	120	1	10



K65 90 Degree Long Radius Street Elbow

K65ELLRS38	3/8"	120	5	100
K65ELLRS12	1/2"	120	5	100
K65ELLRS58	5/8"	120	5	100
K65ELLRS34	3/4"	120	5	100
K65ELLRS78	7/8"	120	5	100
K65ELLRS1.18	1.1/8"	120	5	100
K65ELLRS1.38	1.3/8"	120	1	30
K65ELLRS1.58	1.5/8"	120	1	20
K65ELLRS2.18	2.1/8"	120	1	10



K65 45 Degree Elbow

K65EL45/38	3/8"	120	5	100
K65EL45/12	1/2"	120	5	100
K65EL45/58	5/8"	120	5	100
K65EL45/34	3/4"	120	5	100
K65EL45/78	7/8"	120	5	100
K65EL45/1.18	1.1/8"	120	5	100
K65EL45/1.38	1.3/8"	120	1	30
K65EL45/1.58	1.5/8"	120	1	20



K65 45 Degree Street Elbow


K65ELS45/34	3/4"	120	5	100
K65ELS45/78	7/8"	120	5	100
K65ELS45/1.18	1.1/8"	120	5	100
K65ELS45/1.38	1.3/8"	120	1	30
K65ELS45/1.58	1.5/8"	120	1	20



K65 Reducing Tee



Part Code	Size	Bar	Bag	Box
K65TE12X12X38	1/2" x 1/2" x 3/8"	120	5	100
K65TE12X38X38	1/2" x 3/8" x 3/8"	120	5	100
K65TE58X58X38	5/8" x 5/8" x 3/8"	120	5	100
K65TE58X58X12	5/8" x 5/8" x 1/2"	120	5	100
K65TE58X12X12	5/8" x 1/2" x 1/2"	120	5	100
K65TE34X34X58	3/4" x 3/4" x 5/8"	120	5	100
K65TE34X34X12	3/4" x 3/4" x 1/2"	120	5	100
K65TE78X78X12	7/8" x 7/8" x 1/2"	120	5	20
K65TE78X78X58	7/8" x 7/8" x 5/8"	120	5	100
K65TE78X78X34	7/8" x 7/8" x 3/4"	120	5	100
K65TE1.18X1.18X34	1.1/8" x 1.1/8" x 3/4"	120	5	100
K65TE1.18X1.18X78	1.1/8" x 1.1/8" x 7/8"	120	5	100
K65TE1.18X78X12	1.1/8" x 7/8" x 1/2"	120	5	100
K65TE1.38X1.38X34	1.3/8" x 1.3/8" x 3/4"	120	5	30
K65TE1.38X1.38X78	1.3/8" x 1.3/8" x 7/8"	120	5	30
K65TE1.38X1.38X1.18	1.3/8" x 1.3/8" x 1.1/8"	120	1	20
K65TE1.58X1.58X34	1.5/8" x 1.5/8" x 3/4"	120	1	20
K65TE1.58X1.58X78	1.5/8" x 1.5/8" x 7/8"	120	1	20
K65TE1.58X1.58X1.18	1.5/8" x 1.5/8" x 1.1/8"	120	1	20
K65TE2.18X2.18X1.58	2.1/8" x 2.1/8" x 1.5/8"	120	1	15



K65 Equal Tee

K65TE38	3/8"	120	5	100
K65TE12	1/2"	120	5	100
K65TE58	5/8"	120	5	100
K65TE34	3/4"	120	5	100
K65TE78	7/8"	120	5	100
K65TE1.18	1.1/8"	120	5	100
K65TE1.38	1.3/8"	120	1	30
K65TE1.58	1.5/8"	120	1	20
K65TE2.18	2.1/8"	120	1	15



K65 Fitting Reducer

K65RED12X38	1/2" X 3/8"	120	5	100
K65RED58X38	5/8" X 3/8"	120	5	100
K65RED58X12	5/8" X 1/2"	120	5	100
K65RED34X38	3/4" X 3/8"	120	5	100
K65RED34X12	3/4" X 1/2"	120	5	100
K65RED34X58	3/4" X 5/8"	120	5	100
K65RED78X38	7/8" X 3/8"	120	5	100
K65RED78X12	7/8" X 1/2"	120	5	100
K65RED78X58	7/8" X 5/8"	120	5	100
K65RED78X34	7/8" X 3/4"	120	5	100
K65RED1.18X12	1.1/8" X 1/2"	120	5	100
K65RED1.18X58	1.1/8" X 5/8"	120	5	100
K65RED1.18X34	1.1/8" X 3/4"	120	5	100
K65RED1.18X78	1.1/8" X 7/8"	120	5	100
K65RED1.38X1.18	1.3/8" X 1.1/8"	120	1	60
K65RED1.58X78	1.5/8" X 7/8"	120	1	30
K65RED1.58X1.38	1.5/8" X 1.3/8"	120	1	60
K65RED2.18X1.58	2.1/8" X 1.5/8"	120	1	30

K65 Couplings



Part Code	Size	Bar	Bag	Box
K65CP38	3/8"	120	5	100
K65CP12	1/2"	120	5	100
K65CP58	5/8"	120	5	100
K65CP34	3/4"	120	5	100
K65CP78	7/8"	120	5	100
K65CP1.18	1.1/8"	120	5	100
K65CP1.38	1.3/8"	120	5	60
K65CP1.58	1.5/8"	120	5	30
K65CP2.18	2.1/8"	120	5	30
K65CP12X38	1/2" X 3/8"	120	5	100
K65CP58X12	5/8" X 1/2"	120	5	100
K65CP34X58	3/4" X 5/8"	120	5	100
K65CP78X34	7/8" X 3/4"	120	5	100
K65CP1.18X12	1.1/8" X 1/2"	120	5	100
K65CP1.18X78	1.1/8" X 7/8"	120	5	100
K65CP1.38X12	1.3/8" X 1/2"	120	1	60
K65CP1.38X58	1.3/8" X 5/8"	120	1	60
K65CP1.38X34	1.3/8" X 3/4"	120	1	60
K65CP1.38X78	1.3/8" X 7/8"	120	1	60
K65CP1.38X1.18	1.3/8" X 1.1/8"	120	1	60
K65CP1.58X34	1.5/8" X 3/4"	120	1	30
K65CP1.58X78	1.5/8" X 7/8"	120	1	30
K65CP1.58X1.18	1.5/8" X 1.1/8"	120	1	30
K65CP1.58X1.38	1.5/8" X 1.3/8"	120	1	30
K65CP2.18X1.58	2.1/8" X 1.5/8"	120	1	30

K65 End Cap



K65EC38	3/8"	120	5	100
K65EC12	1/2"	120	5	100
K65EC58	5/8"	120	5	100
K65EC34	3/4"	120	5	100
K65EC78	7/8"	120	5	100
K65EC1.18	1.1/8"	120	5	100
K65EC1.38	1.3/8"	120	5	60
K65EC1.58	1.5/8"	120	1	30
K65EC2.18	2.1/8"	120	1	30



THE QUEEN'S AWARDS
FOR ENTERPRISE:
INTERNATIONAL TRADE
2019



LAWTON

TUBES

The nations copper specialist

The Lawton Tube Co. Ltd
Torrington Avenue, Coventry CV4 9AB

Telephone: +44 (0) 24 7646 6203

Fax: +44 (0) 24 7669 4183

E-mail: sales@lawtontubes.co.uk

www.lawtontubes.co.uk